

Labgear IDC Insertion Tool

Applications

Designed to terminate IDC connections in telephone sockets and network outlets. The insertion tool also features a built in cutter to trim excess wire automatically during the termination process.

Operation

Simply lay the wires flat across each IDC terminal (as per the manufacturers guide) and push down firmly then release (fig 1).

Make sure the cutter is facing in the direction of the part of the wire you wish to trim. The wire will be firmly secured and automatically trimmed. It is advisable to untwist as little as possible of twisted pair cable to ensure maximum performance (fig 2).

Fig 1




Fig 2



Labgear IDC Insertion Tool

Technical Support

For further help, advice or information visit
Our website www.labgear.co.uk
Technical team www.labgear.co.uk/technical
Email: technical@labgear.co.uk

Labgear reserve the right to modify their designs or specifications, In the light of future developments, without prior notice. Performance figures quoted are typical and subject to normal manufacturing and service tolerances.

Labgear

Philex House,
Kingfisher Wharf,
London Road,
Bedford MK42 0NX
www.labgear.co.uk

EU Distributor
Philex Electronic Ireland Ltd.
Robwyn House, Corrintra,
Castleblayney, Co. Monaghan,
A75 YX76, Ireland.



Waste electrical and electronic products should not be disposed of with household waste.



Please recycle where facilities exist. Check with your Local Authority for recycling advice.